

## SL-LB LIFT BARRIER

MANUALLY OPERATED LIFT BARRIER GATE ARM

**SECURE LANE'S MANUAL LIFT BARRIER ARM IS A NON-ELECTRIC COUNTERWEIGHTED MANUALLY LIFTED ARM BARRIER, USED TO CONTROL VEHICLE ACCESS IN PARKING LOTS, ROADWAYS, WAREHOUSES OR ANYWHERE YOU NEED TO EASILY AND AFFORDABLY BLOCK OFF A TRAFFIC LANE OR ROADWAY. IT CAN BE OPERATED BY GUARDS OR USED WHEN NEEDED TO BLOCK A TRAFFIC LANE AND/OR ENTRY/EXIT TO A PARKING LOT AREA.**



Powder Coated Safety Red, Yellow or White. Custom Colors are Available.





Standard Size Barrier Arm Options - 12', 16', 20', 22', 24', & 30'



Models with a 16' arm and over, come with a cable truss support assembly.




Barrier arms over 16' require at least one support post, Pendulum Post or Receiving Post. See Page 3 for more information.




SIDE VIEW

SL-LB MANUAL LIFT BARRIER GATE ARM DETAIL  
1-22-18



## Pendulum Support Post - Height Adjustable w/ Rubber Foot Pad

This product stays attached to the barrier arm and swings down with the arm to meet the roadway and serves to support the horizontal position of the arm. Required on barrier arms over 16'.



## Receiving Post - Height Adjustable w/ U Cradle

6"X6" Pad Mount, U cradle accepts customer provided long shackle padlock or pin lock. This product is highly recommended for additional security or for windy site locations. Provides a secondary locking point and holds the arm firmly & securely in place.